INDEX TO AUTHORS.

A

Allen, Frank Worthington, and **Luck, James Murray.** The oxidation of dixanthydryl urea by means of the dichromate reaction. A new method for determining urea, 693

Alsberg, Carl L. See PETREE and ALSBERG, 385

Anderson, William E. See MCAMIS, ANDERSON, and MENDEL, 247

Angevine, Robert W. Fat excretion. VI. Excretion by Thiry-Vella fistulas, 559

B

Bacharach, A. L., and **Jephcott, H.** Vitamin D and fecal reaction, 751

Bass, Lawrence W. See LEVENE and BASS, 171

—. See LEVENE, BASS, and STEIGER, 167

—. See LEVENE, STEIGER, and BASS, 155

Behre, Jeanette Allen, and **Benedict, Stanley R.** The occurrence and determination of thioneine (ergothioneine) in human blood, 11

Benedict, Stanley R. A note on the purification of picric acid for creatinine determination, 1

Benedict, Stanley R., and **Nash, Thomas P., Jr.** On the question of the origin of urinary ammonia, 673

— and **Newton, Eleanor B.** The use of molybdic acid as a precipitant for blood proteins, 5

—. See BEHRE and BENEDICT, 11

Berg, Clarence P., and **Rose, William C.** Tryptophane and growth. I. Growth upon a tryptophane-deficient basal diet supplemented at varying intervals by the separate feeding of tryptophane, 479

Bloor, W. R. The oxidative determination of phospholipid (lecithin and cephalin) in blood and tissues, 273

Bodansky, Meyer. The effect of hydrogen ion concentration on saponin hemolysis, 567

Burr, George O., and **Burr, Mildred M.** A new deficiency disease produced by the rigid exclusion of fat from the diet, 345

Burr, Mildred M. See BURR and BURR, 345

C

Carpenter, Thorne M., Fox, Edward L., and **Sereque, Arthur F.** Acetone as a control substance for respiration and gas analysis apparatus, 335

Chen, K. K. See JENSEN and CHEN, 397

Clarke, Miriam F. See COLLETT and CLARKE, 429

—. See COLLETT, CLARKE, and MCGAVRAN, 435

Collett, Mary E., and **Clarke, Miriam F.** On the question of the specificity of the intracellular dehydrogenases. II. The effect of poisons upon the dehydrogenase systems of frog and of fish muscle, 429

—, **Clarke, Miriam F.,** and **McGavran, Joyce.** On the question of the specificity of the intracellular dehydrogenases. III. The dehydrogenases of frog muscle, 435

Cook, Sherburne F. The structure and composition of hemosiderin, 595

Corley, Ralph C. Pentose metabolism. III. A comparison of the rates of disposal of *d*-arabinose and *l*-arabinose in the rabbit, 269

— and **Marvel, Carl S.** Amino acid catabolism. III. The fate of the ω-hydroxy derivatives of propionic, butyric, valeric, and caproic acids in the phlorhizinized dog, 77

Cox, Gerald J., Smythe, C. V., and **Fishback, C. F.** The nephropathogenic action of cystine, 95

Csonka, Frank A., and **Jones, D. Breese.** Studies on glutelins. V. The glutelins of rye (*Secale cereale*), and of barley (*Hordeum vulgare*), 17

D

Dakin, H. D. The condensation of aromatic aldehydes with glycine and acetylglycine, 439

Davenport, H. A., Davenport, Helen K., and **Ranson, S. W.** Chemical studies of muscle contracture. III. The change in glycogen during shortening produced by tetanus toxin, 499

—. See DIXON, DAVENPORT, and RANSON, 61

Davenport, Helen K. See DAVENPORT, DAVENPORT, and RANSON, 499

Dixon, H. H., Davenport, H. A., and **Ranson, S. W.** Chemical studies of muscle contracture. II. The distribution of phosphorus in frog muscle during delayed relaxation, 61

E

Eisenman, Anna J. A note on the Van Slyke method for the determination of chlorides in blood and tissue, 411

Elmslie, W. P., and **Steenbock, H.** Calcium and magnesium relations in the animal, 611

Elvehjem, C. A., and **Hart, E. B.** The copper content of feedingstuffs, 473

Elvehjem, C. A. See LINDOW, ELVEHJEM, and PETERSON, 465

Everett, Mark R. Determination of sugar in blood. I. Observations upon Benedict's alkaline copper solution, 369

F

Field, Anna. See MORGAN and FIELD, 579

Fishback, C. F. See COX, SMYTHE, and FISHBACK, 95

Folin, Otto. Two revised copper methods for blood sugar determination, 83

Fox, Edward L. See CARPENTER, FOX, and SEREQUE, 335

Friedemann, Theodore E., and **Kendall, Arthur I.** The determination of carbon and carbon dioxide, 45

— and —. The determination of lactic acid, 23

G

Goddard, Verz R., and **Mendel, Lafayette B.** Plant hemagglutinins with special reference to a preparation from the navy bean, 447

Greenberg, David M. The colorimetric determination of the serum proteins, 545

—. See GUNTHER and GREENBERG, 551

Greenwald, Isidor. The prevention of the tetany of parathyroidectomized dogs. III. Ammonium chloride, 717

— and **Gross, Joseph.** The prevention of the tetany of parathyroidectomized dogs. I. Cod liver oil. With a note on the effect of cod liver oil on calcium assimilation, 505

— and —. II. Lactose-containing diets, 531

Griffith, Wendell H. Benzoylated amino acids in the animal organism. IV. A method for the investigation of the origin of glycine, 415

Grollman, Arthur. The solubility of gases in blood and blood fluids, 317

Gross, Joseph. See GREENWALD and GROSS, 505, 531

Gunther, Lewis, and **Greenberg, David M.** A note on the determination of the inorganic phosphate of the serum on the filtrate from calcium analysis, 551

Gustus, Edwin L. See JACOBS and GUSTUS, 403

H

Hart, E. B. See ELVEHJEM and HART, 473

Hart, Merrill C. See SPEER, WISE, and HART, 105

Hastings, A. Baird. See SENDROY and HASTINGS, 197

Heyl, Frederick W., Wise, Edwin C., and **Speer, John H.** The unsaponifiable fraction from spinach fat, 111

Hill, Robert M., and **Mattison, Inez H.** Studies on creatine. I. The effect of creatine on the blood sugar, 679

—. See PEABODY and HILL, 687

Howe, H. E. See ELVEHJEM and HART, 473
—. See LINDOW, ELVEHJEM, and PETERSON, 465
Humphreys, George. See REDFIELD, HUMPHREYS, and INGALLS, 759
Hunter, Andrew. A note on the specific rotatory power of *d*-arginine, 731

I

Ingalls, Elizabeth. See REDFIELD, HUMPHREYS, and INGALLS, 759

J

Jacobs, Walter A., and **Gustus, Edwin L.** The digitalis glucosides. III. Gitoxigenin and isogitoxigenin, 403
Jensen, H., and **Chen, K. K.** A chemical study of Ch'an Su, the dried venom of the Chinese toad, with special reference to the isolation of epinephrine, 397
Jephcott, H. See BACHARACH and JEPHCOTT, 751
Jones, D. Breese. See CSONKA and JONES, 17

K

Kapsinow, Robert, and **Underhill, Frank P.** Does cabbage fed to rabbits increase serum calcium? 377
Keeler, Leonarde. See LUCK and KEELER, 703
Kendall, Arthur I. See FRIEDEMANN and KENDALL, 23, 45
Kik, M. C. See SURE, KIK, and WALKER, 287
Knudson, Arthur. See RANDLES and KNUDSON, 57
Kramer, Benjamin, Shear, M. J., and **McKenzie, Margaret R.** Composition of bone. VI. Effect of massive doses of irradiated ergosterol, 555

L

Levene, P. A., and **Bass, Lawrence W.** Studies on racemization. VIII. The action of alkali on proteins: racemization and hydrolysis, 171
—, —, and **Steiger, Robert E.** The relation of chemical structure to the rate of hydrolysis of peptides. VI. Hydrolysis of dipeptides by alkali, 167
—, **Raymond, A. L.,** and **Walti, A.** A new case of Walden inversion in the hexose series, 191
—, **Steiger, Robert E.,** and **Bass, Lawrence W.** The relation of chemical structure to the rate of hydrolysis of peptides. V. Enzyme hydrolysis of dipeptides, 155
Lewis, Howard B. See LIGHTBODY and LEWIS, 485, 663
Lightbody, Howard D., and **Lewis, Howard B.** The metabolism of sulfur. XV. The relation of the protein and cystine content of the diet to the growth of the hair in the white rat, 485
— and —. XVI. Dietary factors in relation to the chemical composition of the hair of the young white rat, 663

XUM

Lindow, C. W., Elvehjem, C. A., and Peterson, W. H. The copper content of plant and animal foods, 465
Luck, James Murray, and Keeler, Leonarde. The blood chemistry of two species of rattlesnakes, *Crotalus atrox* and *Crotalus oregonus*, 703
—. See ALLEN and LUCK, 693

M

Marvel, Carl S. See CORLEY and MARVEL, 77
Mattison, Inez H. See HILL and MATTISON, 679
McAmis, Ava Josephine, Anderson, William E., and Mendel, Lafayette B. Growth of rats on "fat-free" diets, 247
McGavran, Joyce. See COLLETT, CLARKE, and MCGAVRAN, 435
McKenzie, Margaret R. See KRAMER, SHEAR, and MCKENZIE, 555
Mendel, Lafayette B. See GODDARD and MENDEL, 447
—. See MCAMIS, ANDERSON, and MENDEL, 247
Millet, Horace. The reaction of the blood in cancer, 263
Mitchell, Stotherd. Hydrolysis of the *d*-glucosides of *d*- and *l*-methyl-*n*-hexylcarbinol with emulsin, 727
Morgan, Agnes Fay, and Field, Anna. The effect of drying and of sulfur dioxide upon the antiscorbutic property of fruits, 579

N

Nash, Thomas P., Jr. See BENEDICT and NASH, 673
Newton, Eleanor B. See BENEDICT and NEWTON, 5

P

Peabody, W. A., and Hill, Robert M. Studies on creatine. II. The effect of creatine administration upon rabbits, 687
Peterson, Vernon L. See WEST, SCHARLES, and PETERSON, 137
Peterson, W. H. See LINDOW, ELVEHJEM, and PETERSON, 465
Petree, Louis G., and Alsberg, Carl L. A method for the preparation of glycogen and a study of the glycogen of the abalone, *Haliotis rufescens*, Swainson, 385

R

Randles, F. S., and Knudson, Arthur. Studies on cholesterol. IV. The relation of ovaries and testes to cholesterol metabolism, 57
Ranson, S. W. See DAVENPORT, DAVENPORT, and RANSON, 499
—. See DIXON, DAVENPORT, and RANSON, 61
Rawlins, L. M. Chapman, and Schmidt, Carl L. A. Studies on the combination between certain basic dyes and proteins, 709
Raymond, A. L. See LEVENE, RAYMOND, and WALTI, 191

Redfield, Alfred C., Humphreys, George, and **Ingalls, Elizabeth.** The respiratory proteins of the blood. IV. The buffer action of hemocyanin in the blood of *Limulus polyphemus*, 759

Robinson, Howard W. The influence of neutral salts on the pH of phosphate buffer mixtures, 775

Rose, William C. See BERG and ROSE, 479

S

Scharles, Frederick H. See WEST, SCHARLES, and PETERSON, 137

Schmidt, Carl L. A. The reaction between nitrous acid and certain amino acids and related compounds at 45°, 587

—. See RAWLINS and SCHMIDT 709

Seidell, Atherton. Further progress towards the isolation of the antineuritic vitamin (vitamin B) from brewers' yeast, 633

Sendroy, Julius, Jr., and **Hastings, A. Baird.** The activity coefficients of certain acid-base indicators, 197

Sereque, Arthur F. See CARPENTER, FOX, and SEREQUE, 335

Shear, M. J. See KRAMER, SHEAR, and MCKENZIE, 555

Silvette, Herbert. See SMITH, 651

Sinclair, Robert Gordon. The rôle of the phospholipids of the intestinal mucosa in fat absorption. With additional data on the phospholipids of the liver, and smooth and skeletal muscle, 117

Smith, Homer W. The composition of the body fluids of the goosefish (*Lophius piscatorius*), 71

—. The inorganic composition of the body fluids of the Chelonia, 651

Smith, Margaret Elizabeth. See SURE and SMITH, 307

Smythe, C. V. See COX, SMYTHE, and FISHBACK, 95

Speer, John H., Wise, Edwin C., and **Hart, Merrill C.** The composition of spinach fat, 105

—. See HEYL, WISE, and SPEER, 111

Steenbock, H. See ELMSLIE and STEENBOCK, 611

Steiger, Robert E. See LEVENE, BASS, and STEIGER, 167

—. See LEVENE, STEIGER, and BASS, 155

Stull, Arthur. A chemical study of Type III pneumococci, 641

Sure, Barnett, Kik, M. C., and **Walker, Dorothy J.** Vitamin requirements of nursing young. VI. Anhydremia associated with disturbance in hematopoietic function in nursing young of the albino rat suffering from a deficiency of the vitamin B complex, 287

— and **Smith, Margaret Elizabeth.** Effect of vitamin deficiencies on carbohydrate metabolism. I. Hypoglycemia associated with anhydremia and disturbance in

hematopoietic function in nursing young of the albino rat suffering from uncomplicated vitamin B deficiency, 307

T

Theis, Edwin R. The lipid distribution in normal and abnormal liver tissues. III. The effect of disease upon the lipid distribution in human liver tissue, 327

U

Underhill, Frank P. See KAPSINOW and UNDERHILL, 377

V

Vahlteich, H. W. A study of the action of trypsin on casein, 737

W

Walker, Dorothy J. See SURE, KIK, and WALKER, 287

Walti, A. See LEVENE, RAYMOND, and WALTI, 191

West, Edward S., Scharles, Frederick H., and Peterson, Vernon L. The determination of true sugar in blood, 137

Wise, Edwin C. See HEYL, WISE, and SPEER, 111

—. See SPEER, WISE, and HART, 105

XUM

XUM

INDEX TO SUBJECTS.

A

Abalone:
Glycogen (PETREE and ALSBERG) 385
Absorption:
Fat, phospholipids of intestinal mucosa, rôle (SINCLAIR) 117
—, — — — smooth muscle, rôle (SINCLAIR) 117
—, — — liver, rôle (SINCLAIR) 117
—, — — skeletal muscle, rôle (SINCLAIR) 117
Acetone:
Gas analysis apparatus, control substance (CARPENTER, FOX, and SEREQUE) 335
Respiration apparatus, control substance (CARPENTER, FOX, and SEREQUE) 335
Acetyl-glycine:
Aromatic aldehydes, condensation with (DAKIN) 439
Acid-base:
Indicators, activity coefficients (SENDROY and HASTINGS) 197
Activity coefficient:
Acid-base indicators (SENDROY and HASTINGS) 197
Aldehyde:
Aromatic, acetyl-glycine, condensation with (DAKIN) 439
—, glycine, condensation with (DAKIN) 439
Amino acid(s):
Benzoylated, in animal organism. IV (GRIFFITH) 415
Catabolism. III (CORLEY and MARVEL) 77
Nitrous acid and, reaction (SCHMIDT) 587
Ammonia:
Urine, origin (BENEDICT and NASH) 673
Ammonium chloride:
Parathyroidectomized dogs, tetany prevention (GREENWALD) 717
Tetany prevention, parathyroidectomized dogs (GREENWALD) 717
Anhydremia:
Hematopoiesis, association, vitamin B deficiency, nursing rat (SURE and SMITH) 307
—, vitamin B complex deficiency, association (SURE, KIK, and WALKER) 287
Hypoglycemia, association, vitamin B deficiency, nursing rat (SURE and SMITH) 307

XUM

Anhydremia—*continued:*
Vitamin B complex deficiency, nursing rats (SURE, KIK, and WALKER) 287
Vitamin B deficiency, nursing rats (SURE and SMITH) 307
Animal:
Food, copper content (LINDOW, ELVEHJEM, and PETERSON) 465
***d*-Arabinose:**
Fate, *l*-arabinose, comparison, rabbit (CORLEY) 269
***l*-Arabinose:**
Fate, *d*-arabinose, comparison, rabbit (CORLEY) 269
***d*-Arginine:**
Specific rotation (HUNTER) 731
Aromatic aldehydes:
Acetyl-glycine, condensation with (DAKIN) 439
Glycine, condensation with (DAKIN) 439

B

Barley:
Glutelins (CSONKA and JONES) 17
Bean:
Navy. *See* Navy bean.
Benedict:
Copper solution, alkaline, blood sugar determination (EVERETT) 369
Blood:
Cancer, reaction (MILLET) 263
Cephalin, determination, oxidative (BLOOR) 273
Blood—*continued:*
Chlorides, Van Slyke method (EISENMAN) 411
Fluids, gas solubility in (GROLLMAN) 317
Gas solubility in (GROLLMAN) 317
Hemocyanin, buffer action, *Limulus polyphemus* (REDFIELD, HUMPHREYS, and INGALLS) 759
Lecithin, determination, oxidative (BLOOR) 273
Limulus polyphemus, hemocyanin, buffer action (REDFIELD, HUMPHREYS, and INGALLS) 759
Phospholipid, determination, oxidative (BLOOR) 273
Proteins, molybdic acid as precipitant (BENEDICT and NEWTON) 5
—, respiratory. IV (REDFIELD, HUMPHREYS, and INGALLS) 759
Rattlesnake, chemistry (LUCK and KEELER) 703
Reaction, cancer (MILLET) 263
Respiratory proteins. IV (REDFIELD, HUMPHREYS, and INGALLS) 759
Sugar, copper methods, revised (FOLIN) 83
—, creatine effect (HILL and MATTISON) 679
—, determination. I (EVERETT) 369
—, —, Benedict's alkaline copper solution (EVERETT) 369
—, —, copper methods, revised (FOLIN) 83

Blood—*continued:*
Sugar, determination, true (West, Scharles, and Peterson) 137
—, true, determination (West, Scharles, and Peterson) 137
Thioneine, determination (Behre and Benedict) 11
—, occurrence (Behre and Benedict) 11
Blood serum:
Calcium, cabbage effect (Kapsinow and Underhill) 377
Phosphate, inorganic, determination (Gunther and Greenberg) 551
Proteins, colorimetric determination (Greenberg) 545
Body fluids:
Chelonia, inorganic composition (Smith) 651
Goosefish, composition (Smith) 71
Inorganic composition, Chelonia (Smith) 651
Bone:
Composition. VI (Kramer, Shear, and McKenzie) 555
Ergosterol, irradiated, composition effect (Kramer, Shear, and McKenzie) 555
Buffer(s):
Hemocyanin, *Limulus polyphemus* blood, action (Redfield, Humphreys, and Ingalls) 759
Phosphate mixtures, hydrogen ion concentration, neutral salts influence (Robinson) 775
Butyric acid:
ω-Hydroxy derivatives, phlorhizinized dog, fate (Corley and Marvel) 77

C

Cabbage:
Blood serum calcium, effect (Kapsinow and Underhill) 377
Calcium, blood serum, effect (Kapsinow and Underhill) 377
Calcium:
Assimilation, cod liver oil effect (Greenwald and Gross) 505
—, parathyroidectomized dogs, cod liver oil effect (Greenwald and Gross) 505
Blood serum, cabbage effect (Kapsinow and Underhill) 377
Magnesium and, relations in animal (Elmslie and Steenbock) 611
Cancer:
Blood reaction (Millet) 263
Caproic acid:
ω-Hydroxy derivatives, phlorhizinized dog, fate (Corley and Marvel) 77
Carbohydrate:
Metabolism, vitamin deficiency effect. I (Sure and Smith) 307
Carbon:
Determination (Friedemann and Kendall) 45
Carbon dioxide:
Determination (Friedemann and Kendall) 45

XUM

Casein:
Trypsin action on (VAHLTEICH) 737
Catabolism:
Amino acid. III (CORLEY and MARVEL) 77
Cephalin:
Blood, determination, oxidative (BLOOR) 273
Determination, oxidative, blood (BLOOR) 273
—, —, tissue (BLOOR) 273
Tissue, determination, oxidative (BLOOR) 273
Ch'an Su:
Chemical composition (JENSEN and CHEN) 397
Epinephrine isolation from (JENSEN and CHEN) 397
Chelonia:
Body fluids, inorganic composition (SMITH) 651
Chlorides:
Blood, Van Slyke method (EISENMAN) 411
Tissue, Van Slyke method (EISENMAN) 411
Van Slyke method (EISENMAN) 411
Cholesterol:
IV (RANDLES and KNUDSON) 57
Metabolism, ovary relation (RANDLES and KNUDSON) 57
—, testes relation (RANDLES and KNUDSON) 57
Cod liver oil:
Calcium assimilation, parathyroidectomized dogs (GREENWALD and GROSS) 505
Cod liver oil—*continued:*
Parathyroidectomized dogs, calcium assimilation (GREENWALD and GROSS) 505
— —, tetany prevention (GREENWALD and GROSS) 505
Colorimetric method:
Blood serum proteins (GREENBERG) 545
Proteins, blood serum (GREENBERG) 545
Copper:
Blood sugar determination, Benedict's solution (EVERETT) 369
— — —, revised methods (FOLIN) 83
Feedingstuff content (ELVEHJEM and HART) 473
Food, animal, content (LINDOW, ELVEHJEM, and PETERSON) 465
—, plant, content (LINDOW, ELVEHJEM, and PETERSON) 465
Sugar, blood, determination, Benedict's solution (EVERETT) 369
—, —, —, revised methods (FOLIN) 83
Creatine:
I (HILL and MATTISON) 679
II (PEABODY and HILL) 687
Administration, rabbit, effect (PEABODY and HILL) 687
Blood sugar, effect (HILL and MATTISON) 679
Creatinine:
Determination, picric acid purification for (BENEDICT) 1

XUM

Crotalus atrox:
Blood chemistry (Luck and Keeler) 703
Crotalus oregonus:
Blood chemistry (Luck and Keeler) 703
Cystine:
Hair growth, rat, relation (Lightbody and Lewis) 485
Nephropathogenic action (Cox, Smythe, and Fishback) 95

D

Deficiency disease:
Fat-free diet (Burr and Burr) 345
Dehydrogenase:
Intracellular, specificity. II (Collett and Clarke) 429
—, —. III (Collett, Clarke, and McGavran) 435
Muscle, fish, poison effect (Collett and Clarke) 429
—, frog (Collett, Clarke, and McGavran) 435
—, —, poison effect (Collett and Clarke) 429
Diet:
Cystine in, hair growth, rat, relation (Lightbody and Lewis) 485
Deficiency disease, fat-free, relation (Burr and Burr) 345
Fat-free, deficiency disease (Burr and Burr) 345
—, growth (McAmis, Anderson, and Mendel) 247
Diet—*continued:*
Growth, fat-free (McAmis, Anderson, and Mendel) 247
Hair, chemical composition, diet factors relation to (Lightbody and Lewis) 663
— growth, cystine relation, rat (Lightbody and Lewis) 485
— —, protein relation, rat (Lightbody and Lewis) 485
Lactose-containing, parathyroidectomized dogs, tetany prevention (Greenwald and Gross) 531
—, tetany prevention, parathyroidectomized dogs (Greenwald and Gross) 531
Protein in, hair growth, rat, relation (Lightbody and Lewis) 485
Tryptophane-deficient, growth on (Berg and Rose) 479
—, — —, by tryptophane supplements (Berg and Rose) 479
Digitalis:
Glucosides. III (Jacobs and Gustus) 403
Dipeptide:
Alkali hydrolysis (Levene, Bass, and Steiger) 167
Enzyme hydrolysis (Levene, Steiger, and Bass) 155
Hydrolysis, alkali (Levene, Bass, and Steiger) 167
—, enzyme (Levene, Steiger, and Bass) 151

XUM

Dixanthydryl urea:
Oxidation, dichromate reaction (ALLEN and LUCK) 693
Dye:
Basic, protein combination (RAWLINS and SCHMIDT) 709

E

Emulsin:
Glucosides of *d*- and *l*-methyl-*n*-hexylcarbinol, hydrolysis (MITCHELL) 727
Enzyme:
Hydrolysis, dipeptides (LEVENE, STEIGER, and BASS) 155
See also Dehydrogenase, Emulsin, Trypsin.
Epinephrine:
Ch'an Su, isolation (JENSEN and CHEN) 397
Isolation, venom, Chinese toad (JENSEN and CHEN) 397
Venom, Chinese toad, isolation (JENSEN and CHEN) 397
Ergosterol:
Irradiated, bone composition, effect (KRAMER, SHEAR, and MCKENZIE) 555
Ergothioneine:
See Thioneine.
Excretion:
Fat. VI (ANGEVINE) 559
—, Thiry-Vella fistula (ANGEVINE) 559

F

Fat:
Absorption, phospholipids of intestinal mucosa, rôle (SINCLAIR) 117
—, — — — smooth muscle, rôle (SINCLAIR) 117
—, — — liver, rôle (SINCLAIR) 117
—, — — skeletal muscle, rôle (SINCLAIR) 117
Excretion. VI (ANGEVINE) 559
—, Thiry-Vella fistula (ANGEVINE) 559
-free diet, deficiency disease (BURR and BURR) 345
— —, growth on (MCAMIS, ANDERSON, and MENDEL) 247
Spinach, composition (SPEER, WISE, and HART) 105
—, unsaponifiable fraction (HEYL, WISE, and SPEER) 111
Feces:
Reaction, vitamin D and (BACHARACH and JEPHCOTT) 751
Feedingstuff:
Copper content (ELVEHJEM and HART) 473
Fish:
Body fluids, composition, goosefish (SMITH) 71
Muscle, dehydrogenase, poison effect (COLLETT and CLARKE) 429
Fistula:
Thiry-Vella, fat excretion (ANGEVINE) 559

Food:
Animal, copper content (LINDOW, ELVEHJEM, and PETERSON) 465
Copper content, animal (LINDOW, ELVEHJEM, and PETERSON) 465
— —, plant (LINDOW, ELVEHJEM, and PETERSON) 465
Plant, copper content (LINDOW, ELVEHJEM, and PETERSON) 465
Frog:
Muscle, dehydrogenases (COLLETT, CLARKE, and MCGAVRAN) 435
—, —, poison effect (COLLETT and CLARKE) 429
Fruits:
Drying, antiscorbutic effect of (MORGAN and FIELD) 579
Scurvy, antiscorbutic effect of drying (MORGAN and FIELD) 579
—, — — — sulfur dioxide (MORGAN and FIELD) 579
Sulfur dioxide, antiscorbutic effect of (MORGAN and FIELD) 579

G

Gas:
Analysis apparatus, acetone as control substance (CARPENTER, FOX, and SEREQUE) 335
Solubility in blood (GROLLMAN) 317
— — — fluids (GROLLMAN) 317
Gitoxigenin:
(JACOBS and GUSTUS) 403
Isogitoxigenin (JACOBS and GUSTUS) 403
Glucoside:
Digitalis. III (JACOBS and GUSTUS) 403
***d*-Glucoside:**
Methyl-*n*-hexylcarbinol (*d*- and *l*-), emulsin hydrolysis (MITCHELL) 727
Glutelin:
V (CSONKA and JONES) 17
Barley (CSONKA and JONES) 17
Rye (CSONKA and JONES) 17
Glycine:
Acetyl, aromatic aldehydes, condensation with (DAKIN) 439
Aromatic aldehydes, condensation with (DAKIN) 439
Origin, method for investigation (GRIFFITH) 415
Glycogen:
Abalone (PETREE and ALSBERG) 385
Muscle shortening, tetanus toxin, change during (DAVENPORT, DAVENPORT, and RANSON) 499
Preparation (PETREE and ALSBERG) 385
Goosefish:
Body fluids, composition, *Lophius piscatorius* (SMITH) 71
Growth:
Fat-free diets (MCAMIS, ANDERSON, and MENDEL) 247

XUM

Growth—*continued:*
Tryptophane and. I (BERG and ROSE) 479
Tryptophane-deficient diet, supplemented by tryptophane (BERG and ROSE) 479

H

Hair:
Chemical composition, dietary factors relation to, young white rat (LIGHTBODY and LEWIS) 663
Cystine in diet, growth relation, rat (LIGHTBODY and LEWIS) 485
Dietary factors relation to chemical composition, young white rat (LIGHTBODY and LEWIS) 663
Growth, cystine in diet, relation, rat (LIGHTBODY and LEWIS) 485
—, protein in diet, relation, rat (LIGHTBODY and LEWIS) 485
Protein in diet, growth relation, rat (LIGHTBODY and LEWIS) 485
Haliotis rufescens:
Glycogen (PETREE and ALSBERG) 385
Hemagglutinin:
Navy bean, preparation (GODDARD and MENDEL) 447
Plant, preparation (GODDARD and MENDEL) 447
Preparation, navy bean (GODDARD and MENDEL) 447
Hematopoiesis:
Anhydremia, association, vitamin B deficiency, nursing rats (SURE and SMITH) 307
—, vitamin B complex deficiency, association (SURE, KIK, and WALKER) 287
Hypoglycemia, association, vitamin B deficiency, nursing rats (SURE and SMITH) 307
Vitamin B complex deficiency, nursing rats (SURE, KIK, and WALKER) 287
— — deficiency, nursing rats (SURE and SMITH) 307
Hemocyanin:
Blood, *Limulus polyphemus*, buffer action (REDFIELD, HUMPHREYS, and INGALLS) 759
Buffer action, *Limulus polyphemus* blood (REDFIELD, HUMPHREYS, and INGALLS) 759
Limulus polyphemus blood, buffer action (REDFIELD, HUMPHREYS, and INGALLS) 759
Hemolysis:
Saponin, hydrogen ion concentration effect (BODANSKY) 567
Hemosiderin:
Composition (COOK) 595
Structure (COOK) 595
Hexose:
Walden inversion, series (LEVENE, RAYMOND, and WALTI) 191

XUM

Hordeum vulgare:
Glutelins (CSONKA and JONES) 17
Hydrogen ion concentration:
Phosphate buffer mixtures, neutral salts influence (ROBINSON) 775
Saponin hemolysis, effect (BODANSKY) 567
Hypoglycemia:
Anhydremia, association, vitamin B deficiency, nursing rat (SURE and SMITH) 307
Hematopoiesis, association, vitamin B deficiency, nursing rat (SURE and SMITH) 307
Vitamin B deficiency, nursing rat (SURE and SMITH) 307

I

Indicators:
Acid-base, activity coefficients (SENDROY and HASTINGS) 197
Inorganic composition:
Body fluids, Chelonia (SMITH) 651
Chelonia, body fluids (SMITH) 651
Intestine:
Mucosa, phospholipids, fat absorption, rôle (SINCLAIR) 117
Muscle, smooth, phospholipids, fat absorption, rôle (SINCLAIR) 117
Isogitoxigenin:
(JACOBS and GUSTUS) 403

K

Kidney:
Cystine, nephropathogenic action (COX, SMYTHE, and FISHBACK) 95

L

Lactic acid:
Determination (FRIEDEMANN and KENDALL) 23
Lactose:
Diet containing, parathyroidectomized dogs, tetany prevention (GREENWALD and GROSS) 531
— —, tetany prevention, parathyroidectomized dogs (GREENWALD and GROSS) 531
Lecithin:
Blood, determination, oxidative (BLOOR) 273
Determination, oxidative, blood (BLOOR) 273
—, —, tissue (BLOOR) 273
Tissue, determination, oxidative (BLOOR) 273
Limulus polyphemus:
Blood, hemocyanin buffer action (REDFIELD, HUMPHREYS, and INGALLS) 759
Hemocyanin, blood, buffer action (REDFIELD, HUMPHREYS, and INGALLS) 759
Lipid(s):
Liver, disease effect on distribution (THEIS) 327
— tissue. III (THEIS) 327
See also Phospholipid(s).
Liver:
Lipid. III (THEIS) 327
— distribution, disease effect (THEIS) 327

XUM

Liver—*continued:*
Phospholipids, fat absorption, rôle (SINCLAIR) 117

Lophius piscatorius:
Body fluids, composition, goosefish (SMITH) 71

M

Magnesium:
Calcium and, relations in animal (ELMSLIE and STEENBOCK) 611

Metabolism:
Carbohydrate, vitamin deficiency effect. I (SURE and SMITH) 307
Cholesterol, ovary relation (RANDLES and KNUDSON) 57
—, testes relation (RANDLES and KNUDSON) 57
Pentose. III (CORLEY) 269
Sulfur. XV (LIGHTBODY and LEWIS) 485
—. XVI (LIGHTBODY and LEWIS) 663

***d*-Methyl-*n*-hexylcarbinol:**
d-Glucosides, emulsin hydrolysis (MITCHELL) 727

***l*-Methyl-*n*-hexylcarbinol:**
d-Glucosides, emulsin hydrolysis (MITCHELL) 727

Molybdic acid:
Blood proteins, precipitant (BENEDICT and NEWTON) 5

Mucosa:
Intestine, phospholipids, fat absorption, rôle (SINCLAIR) 117

Muscle:
Contracture, chemical studies. II (DIXON, DAVENPORT, and RANSON) 61
—, — —. III. (DAVENPORT, DAVENPORT, and RANSON) 499
—, glycogen change, tetanus toxin effect (DAVENPORT, DAVENPORT, and RANSON) 499
—, tetanus toxin effect on glycogen content (DAVENPORT, DAVENPORT, and RANSON) 499
Dehydrogenase, fish, poison effect (COLLETT and CLARKE) 429
—, frog (COLLETT, CLARKE, and MCGAVRAN) 435
—, —, poison effect (COLLETT and CLARKE) 429
Fish, dehydrogenase, poison effect (COLLETT and CLARKE) 429
Frog, dehydrogenase (COLLETT, CLARKE, and MCGAVRAN) 435
—, —, poison effect (COLLETT and CLARKE) 429
Glycogen change, contracture by tetanus toxin (DAVENPORT, DAVENPORT, and RANSON) 499
Phosphorus distribution during delayed relaxation, frog (DIXON, DAVENPORT, and RANSON) 61
Skeletal, phospholipids, fat absorption, rôle (SINCLAIR) 117

Muscle—*continued:*
Smooth, intestine, phospholipids, fat absorption, rôle (SINCLAIR) 117

N

Navy bean:
Hemagglutinin, preparation (GODDARD and MENDEL) 447
Neuritis:
Vitamin B, antineuritic, isolation, brewers' yeast (SEIDELL) 633
Nitrous acid:
Amino acids and, reaction (SCHMIDT) 587

O

Oil:
Cod liver. *See* Cod liver oil.
Optical rotation:
d-Arginine, specific rotatory power (HUNTER) 731
See also Walden inversion.
Ovary:
Cholesterol metabolism, relation (RANDLES and KNUDSON) 57

P

Parathyroidectomy:
Ammonium chloride, tetany prevention (GREENWALD) 717
Cod liver oil, tetany prevention effect (GREENWALD and GROSS) 505
Lactose-containing diets, tetany prevention (GREENWALD and GROSS) 531
Parathyroidectomy—*continued:*
Tetany prevention. I (GREENWALD and GROSS) 505
— —. II (GREENWALD and GROSS) 531
— —. III (GREENWALD) 717
— —, ammonium chloride (GREENWALD) 717
— —, cod liver oil effect (GREENWALD and GROSS) 505
— —, lactose-containing diets (GREENWALD and GROSS) 531
Pentose:
Metabolism. III (CORLEY) 269
Peptide:
Alkali hydrolysis, dipeptides (LEVENE, BASS, and STEIGER) 167
Chemical structure, hydrolysis rate, relation. V (LEVENE, STEIGER, and BASS) 155
— —, — —, relation. VI (LEVENE, BASS, and STEIGER) 167
Enzyme hydrolysis, dipeptides (LEVENE, STEIGER, and BASS) 155
Hydrolysis, alkali, dipeptides (LEVENE, BASS, and STEIGER) 167
—, enzyme, dipeptides (LEVENE, STEIGER, and BASS) 155
— rate, chemical structure, relation. V (LEVENE, STEIGER, and BASS) 155
— —, — —, relation. VI (LEVENE, BASS, and STEIGER) 167

Phlorhizin:
Butyric acid, ω-hydroxy derivatives of, in phlorhizinized dog, fate (CORLEY and MARVEL) 77
Caproic acid, ω-hydroxy derivatives of, in phlorhizinized dog, fate (CORLEY and MARVEL) 77
Propionic acid, ω-hydroxy derivatives of, in phlorhizinized dog, fate (CORLEY and MARVEL) 77
Valeric acid, ω-hydroxy derivatives of, in phlorhizinized dog, fate (CORLEY and MARVEL) 77

Phosphate:
Blood serum, inorganic, determination (GUNTHER and GREENBERG) 551
Buffer mixtures, hydrogen ion concentration of, neutral salts influence (ROBINSON) 775
Inorganic, blood serum, determination (GUNTHER and GREENBERG) 551
—, determination, blood serum (GUNTHER and GREENBERG) 551

Phospholipid(s):
Blood, determination, oxidative (BLOOR) 273
Determination, oxidative, blood (BLOOR) 273
—, —, tissue (BLOOR) 273
Fat absorption, intestinal mucosa, rôle (SINCLAIR) 117

Phospholipid(s)—*continued:*
Fat absorption, liver, rôle (SINCLAIR) 117
— —, muscle, skeletal, rôle (SINCLAIR) 117
— —, —, smooth, rôle (SINCLAIR) 117
Intestinal mucosa, fat absorption, rôle (SINCLAIR) 117
Liver, fat absorption, rôle (SINCLAIR) 117
Muscle, skeletal, fat absorption, rôle (SINCLAIR) 117
—, smooth, intestine, fat absorption, rôle (SINCLAIR) 117
Tissue, determination, oxidative (BLOOR) 273

Phosphorus:
Muscle, frog, distribution during delayed relaxation (DIXON, DAVENPORT, and RANSON) 61

Picric acid:
Purification, creatinine determination (BENEDICT) 1

Plant:
Food, copper content (LINDOW, ELVEHJEM, and PETERSON) 465
Hemagglutinins (GODDARD and MENDEL) 447

Pneumococcus:
Type III, chemistry (STULL) 641

Poison:
Dehydrogenase, muscle, fish (COLLETT and CLARKE) 429
—, —, frog (COLLETT and CLARKE) 429

Propionic acid:
ω-Hydroxy derivatives, phlorhizinized dog, fate (CORLEY and MARVEL) 77

XUM

Protein(s):
Blood, molybdic acid precipitant (BENEDICT and NEWTON) 5
—, respiratory. IV (REDFIELD, HUMPHREYS, and INGALLS) 759
— serum, colorimetric determination (GREENBERG) 545
Colorimetric determination, blood serum (GREENBERG) 545
Dyes, basic, combination (RAWLINS and SCHMIDT) 709
Hair growth, rat, relation (LIGHTBODY and LEWIS) 485
Hydrolysis, alkali action (LEVENE and BASS) 171
Racemization, alkali action (LEVENE and BASS) 171
Respiratory, blood. IV (REDFIELD, HUMPHREYS, and INGALLS) 759

R

Racemization:
VIII (LEVENE and BASS) 171
Proteins (LEVENE and BASS) 171
Rattlesnake:
Blood chemistry (LUCK and KEELER) 703
Respiration:
Apparatus, acetone as control substance (CARPENTER, FOX, and SEREQUE) 335
Blood proteins. IV (REDFIELD, HUMPHREYS, and INGALLS) 759
Respiration—*continued:*
Proteins, blood. IV (REDFIELD, HUMPHREYS, and INGALLS) 759
Rye:
Glutelins (CSONKA and JONES) 17

S

Saponin:
Hemolysis, hydrogen ion concentration effect (BODANSKY) 567
Scurvy:
Fruits, antiscorbutic effect of drying (MORGAN and FIELD) 579
—, — — — sulfur dioxide (MORGAN and FIELD) 579
Secale cereale:
Glutelins (CSONKA and JONES) 17
Spinach:
Fat, composition (SPEER, WISE, and HART) 105
—, unsaponifiable fraction (HEYL, WISE, and SPEER) 111
Sugar:
Blood, copper methods, revised (FOLIN) 83
—, creatine effect (HILL and MATTISON) 679
—, determination. I (EVERETT) 369
—, —, Benedict's alkaline copper solution (EVERETT) 369
—, —, copper methods, revised (FOLIN) 83
—, —, true (WEST, SCHARLES, and PETERSON) 137

XUM

Sugar—*continued:*
Blood, true, determination (West, Scharles, and Peterson) 137
Determination, blood. I (Everett) 369
— —, Benedict's alkaline copper solution (Everett) 369
Sulfur:
Metabolism. XV (Lightbody and Lewis) 485
—. XVI (Lightbody and Lewis) 663
Sulfur dioxide:
Fruits, antiscorbutic effect (Morgan and Field) 579

T

Testes:
Cholesterol metabolism, relation (Randles and Knudson) 57
Tetanus:
Toxin, muscle glycogen change during contracture (Davenport, Davenport, and Ranson) 499
Tetany:
Parathyroidectomized dogs, ammonium chloride, prevention (Greenwald) 717
— —, cod liver oil effect (Greenwald and Gross) 505
— —, lactose-containing diets, prevention (Greenwald and Gross) 531
— —, prevention. I (Greenwald and Gross) 505
Tetany—*continued:*
Parathyroidectomized dogs, prevention. II (Greenwald and Gross) 531
— —, —. III (Greenwald) 717
Thioneine:
Blood, determination (Behre and Benedict) 11
—, occurrence (Behre and Benedict) 11
Determination, blood (Behre and Benedict) 11
Occurrence, blood (Behre and Benedict) 11
Thiry-Vella:
Fistula, fat excretion (Angevine) 559
Tissue(s):
Cephalin, determination, oxidative (Bloor) 273
Chlorides, Van Slyke method (Eisenman) 411
Lecithin, determination, oxidative (Bloor) 273
Liver, lipid distribution. III (Theis) 327
—, — —, disease effect (Theis) 327
Phospholipid, determination, oxidative (Bloor) 273
Toad:
Venom, Chinese, chemical composition (Jensen and Chen) 397
—, —, epinephrine isolation from (Jensen and Chen) 397

XUM

Toxin:
Tetanus, muscle glycogen change during contracture (DAVENPORT, DAVENPORT, and RANSON) 499
Trypsin:
Casein, action of (VAHLTEICH) 737
Tryptophane:
Diet deficient in, tryptophane supplement, growth on (BERG and ROSE) 479
Growth and. I (BERG and ROSE) 479
—, tryptophane-deficient diet supplemented by (BERG and ROSE) 479

U

Urea:
Determination (ALLEN and LUCK) 693
Dixanthydryl urea, oxidation by dichromate (ALLEN and LUCK) 693
Urine:
Ammonia, origin (BENEDICT and NASH) 673

V

Valeric acid:
ω-Hydroxy derivatives, phlorhizinized dog, fate (CORLEY and MARVEL) 77
Van Slyke:
Chlorides, blood, method (EISENMAN) 411
—, tissue, method (EISENMAN) 411
Venom:
Epinephrine isolation from (JENSEN and CHEN) 397
Venom—*continued.*
Toad, Chinese, chemical composition (JENSEN and CHEN) 397
—, —, epinephrine isolation from (JENSEN and CHEN) 397
Vitamin(s):
Antineuritic, isolation, brewers' yeast (SEIDELL) 633
B, antineuritic, isolation, brewers' yeast (SEIDELL) 633
— complex deficiency, anhydremia and hematopoiesis, nursing rats (SURE, KIK, and WALKER) 287
— — —, hematopoiesis and anhydremia, nursing rats (SURE, KIK, and WALKER) 287
— deficiency, anhydremia, nursing rats (SURE and SMITH) 307
— —, hematopoiesis, nursing rats (SURE and SMITH) 307
— —, hypoglycemia, nursing rats (SURE and SMITH) 307
— —, nursing rats (SURE and SMITH) 307
Carbohydrate metabolism, deficiency effect. I (SURE and SMITH) 307
D, fecal reaction and (BACHARACH and JEPHCOTT) 751
Deficiency, carbohydrate metabolism, effect. I (SURE and SMITH) 307
Nursing rats, requirements. VI (SURE, KIK, and WALKER) 287

W

Walden inversion:
Hexose series (LEVENE, RAYMOND, and WALTI) 191

Y

Yeast:
Vitamin, antineuritic, isolation, brewers' (SEIDELL) 633
— B, isolation, brewers' (SEIDELL) 633

XUM